


*EFH 10/14x85



Specifications

ETI Code	001703005
Description	*EFH 10/14x85
Class name	Fuse link base
Rated current (A)	32
To use with	CH 10x85 gPV fuse-links
Type	EFH 10
Mounting type	35mm DIN rail
For use with	CH 10x85 gPV fuse-links
Size	10x85
No. Of poles	1
Product group	LV-fuse base
Product subgroup	for CH10x85 fuse-link
Utilization category	DC-20B
Connection	0,75 - 25mm ²
Rated DC voltage (V)	1500
Mounting	35mm DIN rail
Catalogue Group	Fuse Holder
Ambient temperature (°C)	-5 + 40°C
Pollution Degree	3
Standards	IEC60947-1, IEC60947-3, IEC60269-6
Application	Photovoltaic Installation
UL certificate	E356295
Rated cross section	10
Max input cross-section, mm ²	0,75 mm ² - 25 mm ²

Online product page [🔗](#)

Other documentation



[Technical data catalogue](#)
[Certificate](#)
[3D Model](#)
[CE declaration](#)
[Eplan file](#)

ETIM international classification

Classification	EC002705
Class name	Holder for cylindrical fuse
Application	Photovoltaic Installation
Pollution degree	3
Construction size	10x85
Rated voltage DC	1500
Rated current	32
Number of knife blade fuse holders	1
Mounting method	Other
For fuse size	Other
Number of poles	1

Dimension drawing

