

CH10x38 gPV 25A/1000V DC



Specifications

| | |
|--------------------------------|--|
| ETI Code | 002625139 |
| Description | CH10x38 gPV 25A/1000V DC |
| Class name | Fuse link |
| Rated current (A) | 25 |
| Type | CH |
| Size | CH10 |
| Characteristics | gPV |
| Rated DC voltage (V) | 1000 |
| Dimensions | 10x38 |
| Breaking capacity DC (kA) | 30 |
| Power dissipation (W) | 4,1 |
| Standards | IEC 60269-6 |
| Power dissipation (0,7xIn) (W) | 1,65 |
| Operating joule integral (A2s) | 470 |
| L/R (ms) | 2 |
| Prearcing joule integral (A2s) | 110 |
| Application | For protection of photovoltaic modules |
| efuse | 1 |

Online product page

Other documentation



Technical data catalogue

3D Model

Instruction manual


CE declaration

Eplan file

ETIM international classification

| | |
|----------------------|--|
| Classification | EC002704 |
| Class name | Cylindrical fuse |
| Application | For protection of photovoltaic modules |
| Construction size | CH10 |
| Rated current | 25 |
| Rated voltage DC | 1000 |
| Size | 10x38 mm |
| Rated voltage | Other |
| Utilization category | Other |
| Nominal current | 25A |

Characteristics



Dimension drawing

